
L	Hits	Search Text	DB	Time stamp
Number				
1	1381	deflect\$3 with capacitanc\$3	USPAT;	2004/04/14
			IBM_TDB	14:44
2	806	(deflect\$3 with capacitanc\$3) and electrode\$1	USPAT;	2004/04/14
			IBM_TDB	14:44
3	627	((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14
		and (heat cold temp temperature\$1 degree\$1	IBM_TDB	15:14
		sensor\$1)		0004/04/14
4	411	(((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14
		and (heat cold temp temperature\$1 degree\$1	IBM_TDB	15:12
_	207	sensor\$1)) and (eras\$3 delet\$3 remov\$3 cancel\$3)	LIODAT.	0004/04/14
5	337	((((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14 15:04
		and (heat cold temp temperature\$1 degree\$1 sensor\$1)) and (eras\$3 delet\$3 remov\$3 cancel\$3))	IBM_TDB	13.04
		and (correct\$3 fix\$3)		
6	334	(((((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14
6	33 <del>4</del>	and (heat cold temp temperature\$1 degree\$1	IBM_TDB	14:57
		sensor\$1)) and (eras\$3 delet\$3 remov\$3 cancel\$3))		14.57
		and (correct\$3 fix\$3)) and (threshold\$1		
		predetermin\$3 measur\$3 referenc\$3)		
7	109	((((((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14
•		and (heat cold temp temperature\$1 degree\$1	IBM_TDB	14:57
		sensor\$1)) and (eras\$3 delet\$3 remov\$3 cancel\$3))		
		and (correct\$3 fix\$3)) and (threshold\$1		
		predetermin\$3 measur\$3 referenc\$3)) and hous\$3		
8	66	((((((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14
		and (heat cold temp temperature\$1 degree\$1	IBM_TDB	15:12
		sensor\$1)) and (eras\$3 delet\$3 remov\$3 cancel\$3))		
		and (correct\$3 fix\$3)) and (threshold\$1		
		predetermin\$3 measur\$3 referenc\$3)) and		
		hous\$3) and (physical\$2 penetrat\$3 tamper\$3		
		impact\$3)		
9	59	((((((((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14
		and (heat cold temp temperature\$1 degree\$1	IBM_TDB	15:09
		sensor\$1)) and (eras\$3 delet\$3 remov\$3 cancel\$3))		
		and (correct\$3 fix\$3)) and (threshold\$1		
		predetermin\$3 measur\$3 referenc\$3)) and		
		hous\$3) and (physical\$2 penetrat\$3 tamper\$3		
		impact\$3)) and (heat cold temp temperature\$1		
10	2400	degree\$1)	HODAT.	2004/04/14
10	3483	(capacitanc\$3) near4 (correct\$3 fix\$3)	USPAT;	2004/04/14 15:08
11	915	(capacitanc\$3) near4 (correct\$3)	IBM_TDB USPAT;	2004/04/14
1.1	913	(capacitances) near+ (conectes)	IBM_TDB	15:08
12	58	((capacitanc\$3) near4 (correct\$3)) and (deflect\$3	USPAT;	2004/04/14
14	38	with capacitanc\$3)	IBM_TDB	15:08
13	23	(((capacitanc\$3) near4 (correct\$3)) and (deflect\$3	USPAT;	2004/04/14
•	20	with capacitanc\$3)) and ((deflect\$3 with	IBM_TDB	15:09
		capacitanc\$3) and electrode\$1)		
14	12	((((capacitanc\$3) near4 (correct\$3)) and (deflect\$3	USPAT;	2004/04/14
	- <b>-</b>	with capacitanc\$3)) and ((deflect\$3 with	IBM_TDB	15:11
		capacitanc\$3) and electrode\$1)) and (heat cold	_	
		temp temperature\$1 degree\$1)		
15	12	((((capacitanc\$3) near4 (correct\$3)) and (deflect\$3	USPAT;	2004/04/14
		with capacitanc\$3)) and ((deflect\$3 with	IBM_TDB	15:14
		capacitanc\$3) and electrode\$1)) and (heat cold		
		temp temperature\$1 degree\$1 thermo		
		thermomet\$3)		<u> </u>

16	8	(((((capacitanc\$3) near4 (correct\$3)) and (deflect\$3	USPAT;	2004/04/14
		with capacitanc\$3)) and ((deflect\$3 with	IBM_TDB	15:43
		capacitanc\$3) and electrode\$1)) and (heat cold		
		temp temperature\$1 degree\$1 thermo		
		thermomet\$3)) and (eras\$3 delet\$3 remov\$3		
1		cancel\$3)		
17	1	,	USPAT;	2004/04/14
1	1	with capacitanc\$3)) and ((deflect\$3 with	IBM_TDB	15:14
		capacitanc\$3) and electrode\$1)) and (heat cold		
		temp temperature\$1 degree\$1 thermo		
		thermomet\$3)) and (eras\$3 delet\$3 remov\$3 cancel\$3)) and (physical\$2 penetrat\$3 tamper\$3		
		impact\$3)		
18	90	((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14
10		and ((capacitanc\$3) near4 (correct\$3 fix\$3))	IBM_TDB	15:14
19	67	(((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14
		and ((capacitanc\$3) near4 (correct\$3 fix\$3))) not	IBM_TDB	15:14
		(((capacitanc\$3) near4 (correct\$3)) and (deflect\$3	_	
		with capacitanc\$3))		
20	53	((((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14
		and ((capacitanc\$3) near4 (correct\$3 fix\$3))) not	IBM_TDB	15:46
		(((capacitanc\$3) near4 (correct\$3)) and (deflect\$3		
		with capacitanc\$3))) and (heat cold temp		
		temperature\$1 degree\$1 thermo thermomet\$3)		0004/04/14
21	34	((((((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14
		and ((capacitanc\$3) near4 (correct\$3 fix\$3))) not (((capacitanc\$3) near4 (correct\$3)) and (deflect\$3	IBM_TDB	15:54
		with capacitanc\$3))) and (heat cold temp		
		temperature\$1 degree\$1 thermo thermomet\$3))		
		and (physical\$2 penetrat\$3 tamper\$3 impact\$3)		
22	59222	(memor\$3 storage\$1 rom ram eeprom eprom	USPAT;	2004/04/14
		database\$1) near4 (eras\$3 delet\$3 remov\$3	IBM_TDB	15:52
		cancel\$3)		
23	1	1 ((((())))	USPAT;	2004/04/14
		and ((capacitanc\$3) near4 (correct\$3 fix\$3))) not	IBM_TDB	15:15
		(((capacitanc\$3) near4 (correct\$3)) and (deflect\$3		
		with capacitanc\$3))) and (heat cold temp		
		temperature\$1 degree\$1 thermo thermomet\$3)) and (physical\$2 penetrat\$3 tamper\$3 impact\$3))		
		and (memor\$3 storage\$1 rom ram eeprom eprom		
		database\$1) near4 (eras\$3 delet\$3 remov\$3		
		cancel\$3))		
24	137143	(predetermin\$3 referenc\$3 correct\$3) near4 (heat	USPAT;	2004/04/14
ĺ		cold temp temperature\$1 degree\$1 thermo	IBM_TDB	15:53
		thermomet\$3)		
25	62	((deflect\$3 with capacitanc\$3) and electrode\$1)	USPAT;	2004/04/14
		and ((predetermin\$3 referenc\$3 correct\$3) near4	IBM_TDB	15:43
		(heat cold temp temperature\$1 degree\$1 thermo		
26	6	thermomet\$3)) ((memor\$3 storage\$1 rom ram eeprom eprom	USPAT;	2004/04/14
20		database\$1) near4 (eras\$3 delet\$3 remov\$3	IBM_TDB	15:43
		cancel\$3)) and (((deflect\$3 with capacitanc\$3) and	10.11_100	13.10
		electrode\$1) and ((predetermin\$3 referenc\$3		
	1	correct\$3) near4 (heat cold temp temperature\$1		
	1	degree\$1 thermo thermomet\$3)))		
27	5838	(capacitan\$3) near7 (heat cold temp	USPAT;	2004/04/14
		temperature\$1 degree\$1 thermo thermomet\$3)	IBM_TDB	15:50
28	67		USPAT;	2004/04/14
	1	and ((capacitan\$3) near7 (heat cold temp	IBM_TDB	15:48
29	125	temperature\$1 degree\$1 thermo thermomet\$3)) (deflect\$3 with capacitanc\$3) and ((capacitan\$3)	HODAT.	2004/04/14
29	125	near7 (heat cold temp temperature\$1 degree\$1	USPAT; IBM_TDB	15:49
l	1	mour (mout coid temp temperature) degree		1 *0.17

near7 (heat cold temp temperature\$1 degree\$1 thermo thermomet\$3))

Search History 4/14/04 3:57:44 PM Page 2

C:\APPS\EAST\Workspaces\231.wsp



temperature\$1 degree\$1 thermo thermomet\$3))) and (hous\$3 physical\$2 penetrat\$3 tamper\$3

impact\$3)